

OMEXCO
Fine Belgian Wallcoverings



SERAYA
WATERLILY ON NON-WOVEN BACKING



SRAIOI3



SRAIOI4



SRAIOI1



SRAIOI2




SRAIOI8


NB : The portrayed colours may differ from reality.

References SRAIO

Composition: waterlily on non-woven backing
Weight: $\pm 670 \text{ g/m}^2$ ($\pm 19,54 \text{ oz/sq yd}$)



Width of the
wallcovering.



Pattern repeat
is 0 cm (0'') and
the design does
not need to be
matched.



Apply a ready
mixed PVA or EVA
clear adhesive
directly to the wall.



Sold by the
metre/yard.
No minimum.



Ecological.



Light resistant:
Xeno test 5-6.

More information and samples are available on request.

Omexco n.v. - Ambachtenlaan 12 - 3001 Heverlee - Belgium
t. +32 16 40 18 80 - info@omexco.com - www.omexco.com

OMEXCO
Fine Belgian Wallcoverings



SERAYA
RAFFIA WEAVE ON NON-WOVEN BACKING



SRAI 202




SRAI 201



SRAI 203

NB : The portrayed colours may differ from reality.




References SRAI 2


Composition: raffia on non-woven backing

Weight: $\pm 499 \text{ g/m}^2$ ($\pm 14,72 \text{ oz/sq yd}$)

SRAI 2 are wallcoverings made by craftsmen. Plant fibres are selected, washed, sun-dried and hand woven on traditional looms. The nature of these plant fibres, as well as the production process, explain irregularities in the aspect and thickness of the wallcovering, as well as colour shades, which give the product its charm and unique character. Differences of colour and aspect between batches, or even from one strip to another, are unavoidable. We can't guarantee a perfect colour match between the sample in the pattern book and the delivered goods.



Width of the wallcovering.



Pattern repeat is 0 cm (0'') and the design does not need to be matched.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall. Abundantly humidify the backing of the wallcovering – soaking time at least 30 minutes.



Sold by the metre/yard. No minimum.



Ecological.



Light resistant: Xeno test 5-6.

More information and samples are available on request.

Omexco n.v. - Ambachtenlaan 12 - 3001 Heverlee - Belgium
t. +32 16 40 18 80 - info@omexco.com - www.omexco.com

OMEXCO
Fine Belgian Wallcoverings



SERAYA

WATERLILY ON NON-WOVEN BACKING



SRAI304



SRAI301



SRAI302



SRAI303




SRAI305

NB : The portrayed colours may differ from reality.


References SRAI3

Composition: waterlily on non-woven backing

Weight: $\pm 518 \text{ g/m}^2$ ($\pm 15,27 \text{ oz/sq yd}$)



Width of the
wallcovering.



Pattern repeat
is 0 cm (0") and
the design does
not need to be
matched.



Apply a ready mixed
PVA or EVA clear
adhesive directly to
the wall. Abundantly
humidify the backing
of the wallcovering –
soaking time at least
30 minutes.



Sold by the
metre/yard.
No minimum.



Ecological.



Light resistant:
Xeno test 4-5.

More information and samples are available on request.

Omexco n.v. - Ambachtenlaan 12 - 3001 Heverlee - Belgium
t. +32 16 40 18 80 - info@omexco.com - www.omexco.com

OMEXCO
Fine Belgian Wallcoverings



SERAYA

BAKBAK & SARI SILK ON NON-WOVEN BACKING



SRAI 402



SRAI 403




SRAI 401

NB : The portrayed colours may differ from reality.


References SRAI 4

Composition: bakkak & sari silk on non-woven backing

Weight: $\pm 790 \text{ g/m}^2$ ($\pm 26,86 \text{ oz/sq yd}$)



Width of the
wallcovering.



Pattern repeat
is 0 cm (0") and
the design does
not need to be
matched.



Apply a ready
mixed PVA or EVA
clear adhesive
directly to the wall.



Sold by the
metre/yard.
No minimum.



Ecological.



Light resistant:
Xeno test 4-5.

More information and samples are available on request.

Omexco n.v. - Ambachtenlaan 12 - 3001 Heverlee - Belgium
t. +32 16 40 18 80 - info@omexco.com - www.omexco.com

OMEXCO
Fine Belgian Wallcoverings



SERAYA

RATTAN & BACNOC ON NON-WOVEN BACKING



SRAI 501



SRAI 513




SRAI 512

NB : The portrayed colours may differ from reality.


References SRAI 5

Composition: rattan & bacnoc on non-woven backing

Weight: $\pm 621 \text{ g/m}^2$ ($\pm 18,11 \text{ oz/sq yd}$)



Width of the
wallcovering.



Pattern repeat
is 0 cm (0'') and
the design does
not need to be
matched.




Apply a ready
mixed PVA or EVA
clear adhesive
directly to the wall.



Sold by the
metre/yard.
No minimum.



Ecological.



Light resistant:
Xeno test 4-6.

More information and samples are available on request.

Omexco n.v. - Ambachtenlaan 12 - 3001 Heverlee - Belgium
t. +32 16 40 18 80 - info@omexco.com - www.omexco.com

OMEXCO
Fine Belgian Wallcoverings



SERAYA
BAKBAK ON NON-WOVEN BACKING



SRAI 602




SRAI 601

NB : The portrayed colours may differ from reality.


References SRA I 6

Composition: bakbak on non-woven backing

Weight: $\pm 714 \text{ g/m}^2$ ($\pm 21,06 \text{ oz/sq yd}$)



Width of the wallcovering.



Pattern repeat is 0 cm (0") and the design does not need to be matched.



Apply a ready mixed pva or eva clear adhesive directly to the wall – abundantly humidify the backing of the wallcovering – soaking time at least 20 minutes.



Sold by the metre/yard.
No minimum.



Ecological.



Light resistant:
Xeno test 6.

More information and samples are available on request.

Omexco n.v. - Ambachtenlaan 12 - 3001 Heverlee - Belgium
t. +32 16 40 18 80 - info@omexco.com - www.omexco.com

OMEXCO
Fine Belgian Wallcoverings



SERAYA
CAPIZ ON NON-WOVEN BACKING



SRAI 702




SRAI 701

NB : The portrayed colours may differ from reality.


References SRAI 7

Composition: capiz on non-woven backing

Weight: $\pm 1450 \text{ g/m}^2$ ($\pm 42,77 \text{ oz/sq yd}$)



Width of the
wallcovering.



Pattern repeat
is 0 cm (0'') and
the design does
not need to be
matched.



Apply a ready mixed
pva or eva clear
adhesive directly to
the wall – abundantly
humidify the backing
of the wallcovering –
soaking time at least
30 minutes.



Sold by the
metre/yard.
No minimum.



Ecological.



Light resistant:
Xeno test 6.

More information and samples are available on request.

Omexco n.v. - Ambachtenlaan 12 - 3001 Heverlee - Belgium
t. +32 16 40 18 80 - info@omexco.com - www.omexco.com

OMEXCO
Fine Belgian Wallcoverings



SERAYA

BAKBAK ON NON-WOVEN BACKING



SRAI806



SRAI801



SRAI802



SRAI803




SRAI805

NB : The portrayed colours may differ from reality.


References SRAI8

Composition: bakbak on non-woven backing

Weight: $\pm 1310 \text{ g/m}^2$ ($\pm 38,21 \text{ oz/sq yd}$)



Width of the wallcovering.



Pattern repeat is 0 cm (0") and the design does not need to be matched.



Apply a ready mixed pva or eva clear adhesive directly to the wall – abundantly humidify the backing of the wallcovering – soaking time ca. 1 hour



Sold by the metre/yard. No minimum.



Ecological.



Light resistant: Xeno test 5-6.

More information and samples are available on request.

Omexco n.v. - Ambachtenlaan 12 - 3001 Heverlee - Belgium
t. +32 16 40 18 80 - info@omexco.com - www.omexco.com

OMEXCO
Fine Belgian Wallcoverings



SERAYA

BANANA BARK ON NON-WOVEN BACKING



SRA 2404



SRA 2403



SRA 2401


NB : The portrayed colours may differ from reality.




References SRA 24

Composition: banana bark on non-woven backing

Weight: $\pm 656 \text{ g/m}^2$ ($\pm 19,35 \text{ oz/sq yd}$)



Width of the
wallcovering.



Pattern repeat
is $\pm 90 \text{ cm}$
($\pm 35 \frac{1}{2}$)
and the design
needs a straight
match.



Apply a ready mixed
PVA or EVA clear
adhesive directly to
the wall. Abundantly
humidify the backing
of the wallcovering –
soaking time at least
20 minutes.



Sold by the
metre/yard.
No minimum.



Ecological.



Light resistant:
Xeno test 5-6.

More information and samples are available on request.

Omexco n.v. - Ambachtenlaan 12 - 3001 Heverlee - Belgium
t. +32 16 40 18 80 - info@omexco.com - www.omexco.com

OMEXCO
Fine Belgian Wallcoverings



SERAYA
CAPIZ ON NON-WOVEN BACKING



SRA 2 5 0 2



SRA 2 5 0 3




SRA 2 5 0 1

NB : The portrayed colours may differ from reality.


References SRA 2 5

Composition: capiz on non-woven backing

Weight: $\pm 629 \text{ g/m}^2$ ($\pm 18,52 \text{ oz/sq yd}$)



Width of the
wallcovering.



Pattern repeat
is 0 cm (0") and
the design does
not need to be
matched.



Apply a ready mixed
pva or eva clear
adhesive directly to
the wall.



Sold by the
metre/yard.
No minimum.



Ecological.



Light resistant:
Xeno test 5-6.

More information and samples are available on request.

Omexco n.v. - Ambachtenlaan 12 - 3001 Heverlee - Belgium
t. +32 16 40 18 80 - info@omexco.com - www.omexco.com

OMEXCO
Fine Belgian Wallcoverings




SERAYA
RAFFIA ON NON-WOVEN BACKING




NB : The portrayed colours may differ from reality.

References SRA 3 0
Composition: raffia on non-woven backing
Weight: $\pm 222 \text{ g/m}^2$ ($\pm 7,55 \text{ oz/sq yd}$)



Width of the
wallcovering.



Pattern repeat
is 0 cm (0") and
the design does
not need to be
matched.



Apply a ready mixed
pva or eva clear
adhesive directly to
the wall.



Sold by the
metre/yard.
No minimum.



Ecological.



Light resistant:
Xeno test 6.



This design
requires reverse
hanging.

More information and samples are available on request.

Omexco n.v. - Ambachtenlaan 12 - 3001 Heverlee - Belgium
t. +32 16 40 18 80 - info@omexco.com - www.omexco.com

OMEXCO
Fine Belgian Wallcoverings



SERAYA
COCONUT BARK ON NON-WOVEN BACKING



SRA 3103



SRA 3101




SRA 3102

NB : The portrayed colours may differ from reality.


References SRA 3 I

Composition: coconut bark on non-woven backing

Weight: $\pm 700 \text{ g/m}^2$ ($\pm 20,65 \text{ oz/sq yd}$)



Width of the
wallcovering.



Pattern repeat
is 0 cm (0") and
the design does
not need to be
matched.



Apply a ready mixed
pva or eva clear
adhesive directly to
the wall – abundantly
humidify the backing
of the wallcovering
– soaking time ca.
1 hour



Sold by the
metre/yard.
No minimum.



Ecological.



Light resistant:
Xeno test 5-6.

More information and samples are available on request.

Omexco n.v. - Ambachtenlaan 12 - 3001 Heverlee - Belgium
t. +32 16 40 18 80 - info@omexco.com - www.omexco.com

OMEXCO
Fine Belgian Wallcoverings



SERAYA

RAFFIA ON NON-WOVEN BACKING



SRA 3 2 0 9



SRA 3 2 0 4



SRA 3 2 0 2



SRA 3 2 0 1



SRA 3 2 0 3



SRA 3 2 2 5

NB : The portrayed colours may differ from reality.



←→
±91 cm
±35'' 4/5

Width of the wallcovering.

→ | 0 cm
0''

Pattern repeat is 0 cm (0'') and the design does not need to be matched.



Apply a ready mixed pva or eva clear adhesive directly to the wall.



Sold by the metre/yard.
No minimum.



Ecological.



Light resistant:
Xeno test 5-6.



This design requires reverse hanging.

More information and samples are available on request.

Omexco n.v. - Ambachtenlaan 12 - 3001 Heverlee - Belgium
t. +32 16 40 18 80 - info@omexco.com - www.omexco.com

OMEXCO
Fine Belgian Wallcoverings



SERAYA
JUTE ON NON-WOVEN BACKING




NB : The portrayed colours may differ from reality.


References SRA 4 2

Composition: jute on non-woven backing

Weight: $\pm 340 \text{ g/m}^2$ ($\pm 10,03 \text{ oz/sq yd}$)



Width of the
wallcovering.



Pattern repeat
is 0 cm (0") and
the design does
not need to be
matched.



Apply a ready mixed
pva or eva clear
adhesive directly
to the wall, moisten
the back of the wall-
covering.



Sold by the
metre/yard.
No minimum.



Ecological.



Light resistant:
Xeno test 4-5.



Fire resistant:
US: class A

More information and samples are available on request.

Omexco n.v. - Ambachtenlaan 12 - 3001 Heverlee - Belgium
t. +32 16 40 18 80 - info@omexco.com - www.omexco.com

OMEXCO
Fine Belgian Wallcoverings




SERAYA
SISAL ON NON-WOVEN BACKING




NB : The portrayed colours may differ from reality.

References SRA 4 3
Composition: sisal on non-woven backing
Weight: $\pm 262 \text{ g/m}^2$ ($\pm 7,64 \text{ oz/sq yd}$)



Width of the
wallcovering.



Pattern repeat
is 0 cm (0") and
the design does
not need to be
matched.



Apply a ready mixed
pva or eva clear
adhesive directly
to the wall, moisten
the back of the wall-
covering.



Sold by the
metre/yard.
No minimum.



Ecological.



Light resistant:
Xeno test 4-5.



This design
requires reverse
hanging.

More information and samples are available on request.

Omexco n.v. - Ambachtenlaan 12 - 3001 Heverlee - Belgium
t. +32 16 40 18 80 - info@omexco.com - www.omexco.com

OMEXCO
Fine Belgian Wallcoverings



SERAYA

ABACA ON NON-WOVEN BACKING



SRA4402



SRA4401



SRA4406



SRA4405



SRA4403




SRA4404

NB : The portrayed colours may differ from reality.


References SRA44

Composition: abaca on non-woven backing

Weight: $\pm 210 \text{ g/m}^2$ ($\pm 6,2 \text{ oz/sq yd}$)



Width of the
wallcovering.



Pattern repeat
is 0 cm (0") and
the design does
not need to be
matched.



Apply a ready mixed
pva or eva clear
adhesive directly
to the wall, moisten
the back of the wall-
covering.



Sold by the
metre/yard.
No minimum.



Ecological.



Light resistant:
Xeno test 6.

More information and samples are available on request.

Omexco n.v. - Ambachtenlaan 12 - 3001 Heverlee - Belgium
t. +32 16 40 18 80 - info@omexco.com - www.omexco.com

OMEXCO
Fine Belgian Wallcoverings



SERAYA
ARROWROOT ON NON-WOVEN BACKING



SRA4721



SRA4713




SRA4722

NB : The portrayed colours may differ from reality.


References SRA47

Composition: arrowroot on non-woven backing

Weight: $\pm 156 \text{ g/m}^2$ ($\pm 4,55 \text{ oz/sq yd}$)



Width of the
wallcovering.



Pattern repeat
is 0 cm (0") and
the design does
not need to be
matched.



Apply a ready mixed
pva or eva clear
adhesive directly
to the wall, moisten
the back of the wall-
covering.



Sold by the
metre/yard.
No minimum.



Ecological.



Light resistant:
Xeno test 5-6.

More information and samples are available on request.

Omexco n.v. - Ambachtenlaan 12 - 3001 Heverlee - Belgium
t. +32 16 40 18 80 - info@omexco.com - www.omexco.com

OMEXCO
Fine Belgian Wallcoverings



SERAYA
PRINTED SISAL ON NON-WOVEN BACKING




SRA4802




SRA4803


NB : The portrayed colours may differ from reality.



References SRA48
Composition: sisal on non-woven backing
Weight: $\pm 210 \text{ g/m}^2$ ($\pm 6,2 \text{ oz/sq yd}$)



Width of the wallcovering.



Pattern repeat is 0 cm (0") and the design does not need to be matched.



Apply a ready mixed pva or eva clear adhesive directly to the wall, moisten the back of the wall-covering.



Sold by the metre/yard.
No minimum.



Ecological.



Light resistant:
Xeno test 5-6.

More information and samples are available on request.

Omexco n.v. - Ambachtenlaan 12 - 3001 Heverlee - Belgium
t. +32 16 40 18 80 - info@omexco.com - www.omexco.com

OMEXCO
Fine Belgian Wallcoverings



SERAYA

LASERED ABACA ON NON-WOVEN BACKING




SRA4905



SRA4901


NB : The portrayed colours may differ from reality.




References SRA49

Composition: abaca on non-woven backing

Weight: $\pm 210 \text{ g/m}^2$ ($\pm 6,2 \text{ oz/sq yd}$)



Width of the
wallcovering.



Pattern repeat
is $\pm 45 \text{ cm}$ /
 $\pm 17'' \frac{7}{10}$ and
the design
needs a straight
match.



Apply a ready mixed
pva or eva clear
adhesive directly
to the wall, moisten
the back of the wall-
covering.



Sold by the
metre/yard.
No minimum.



Ecological.



Light resistant:
Xeno test 6.

More information and samples are available on request.

Omexco n.v. - Ambachtenlaan 12 - 3001 Heverlee - Belgium
t. +32 16 40 18 80 - info@omexco.com - www.omexco.com